



1743

PATENT APPLICATION

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of

Akihiro KOMATSU

Appln. No. 09/236,897

Group Art Unit: 1743

Confirmation No.: 9842

Examiner: L. Cross

Filed: January 26, 1999

For: CHEMICAL ANALYSIS SYSTEM

EXCESS CLAIM FEE PAYMENT LETTER

Commissioner for Patents
Washington, D.C. 20231

Sir:

An Amendment Under 37 C.F.R. § 1.111 is attached hereto for concurrent filing in the above-identified application. The resulting excess claim fee has been calculated as shown below:

	After Amendment		Highest No. Previously Paid For					
All Claims	18	-	20	=	X	\$18.00	=	\$0.00
Independent	4	-	3	=	1 X	\$84.00	=	\$84.00
TOTAL							=	\$84.00

A check for the statutory fee of \$84.00 is attached. Please charge any additional fee or credit any overpayment to our Deposit Account No. 19-4880. A duplicate copy of this letter is enclosed.

Respectfully submitted,

Jeffrey A. Schmidt

Jeffrey A. Schmidt

Registration No. 41,574

SUGHRUE MION, PLLC
2100 Pennsylvania Avenue, N.W.
Washington, D.C. 20037-3213
Telephone: (202) 293-7060
Facsimile: (202) 293-7860

Date: May 13, 2002

RECEIVED
MAY 15 2002
TC 1700